

Diabetes Prevalence (Adults)

Diabetes Prevalence (Adults)

- Most recent data (2014): 7% or about 110,200 King County adults age 18+.
- Trend over time: 2000-14: rising
- Description: Ever told by doctor, nurse, or other health professional you have diabetes (does not include diabetes during pregnancy or pre-diabetes)
- Healthy People 2020 Goal: None listed for this indicator.

Diabetes prevalence (adults), King County, 2010-2014 average

	Percent	Lower CI	Upper CI
King County (adults age 18+)	7	6	8
AGE			
18-24	0 §	0 §	1 §
25-44	2	2	3
45-64	10	9	11
65+	18	16	20
GENDER			
Male	8	7	9
Female	6	6	7
RACE/ETHNICITY			
AIAN	17	9	29
Asian	6	5	8
Black	12	9	15
Hispanic	8	6	10
Multiple	7	4	10
NHPI	8 §	4 §	17 §
White	7	6	7
HOUSEHOLD INCOME			
<\$15,000	10	8	13
\$15,000 to \$24,999	9	7	11
\$25,000 to \$34,999	9	7	12
\$35,000 to \$49,999	8	7	10
\$50,000 to \$74,999	7	6	9
\$75,000+	5	4	6
REGION			
East	5	5	6
North	5	4	7
Seattle	6	5	7
South	10	9	11
STATE			
Washington State	9	8	9

Comparisons:

- Higher than King County rate (yellow)
- Lower than King County rate (green)

Notes:

Source: Behavioral Risk Factor Surveillance System.

Prepared by Public Health - Seattle & King County, APDE, 07/2016.


CI is 95% Confidence Interval.

* Too few cases to protect confidentiality and/or report reliable rates.

§ Too few cases to meet precision standard, interpret with caution.

Persons of Hispanic ethnicity can be of any race and are included in the racial categories.

Diabetes prevalence (adults) King County, 2010-2014 average



Source: Behavioral Risk Factor Surveillance System.

Prepared by Public Health - Seattle & King County, APDE, 07/2016.

[-----] Confidence interval shows range that includes true value 95% of the time.

* Too few cases to protect confidentiality and/or report reliable rates.

§ Too few cases to meet precision standard, interpret with caution.

Persons of Hispanic ethnicity can be of any race and are included in the racial categories.

Diabetes prevalence (adults) by health reporting areas, King County, 2010-2014 average

	Percent	Lower CI	Upper CI
King County (adults age 18+)	7	6	8
Auburn	16	11	22
..Auburn-North	13	8	19
..Auburn-South	20	12	31
Bear Creek/Carnation/Duvall	6	4	9
Bellevue	5	4	7
..Bellevue-Central	6	3	9
..Bellevue-NE	6	4	10
..Bellevue-South	6 §	3 §	11 §
..Bellevue-West	3 §	2 §	6 §
Black Diamond/Enumclaw/SE County	9	7	13
Bothell/Woodinville	5	3	9
Burien	10	6	15
Covington/Maple Valley	9	6	12
Des Moines/Normandy Park	14	9	21
East Federal Way	10	6	16
Fairwood	11	6	18
Federal Way	12	8	18
..Fed Way-Central/Military Rd	16	10	24
..Fed Way-Dash Point/Woodmont	6	3	10
Issaquah	4	3	8
Kenmore/LFP	3	2	6
Kent	9	7	12
..Kent-East	12	7	20
..Kent-SE	8	6	12
..Kent-West	10 §	5 §	19 §
Kirkland	5	4	7
..Kirkland	4	3	6
..Kirkland North	6	4	11
Mercer Isle/Pt Cities	5	3	8
Newcastle/Four Creeks	8	5	13
North Highline	9 §	4 §	17 §
Redmond	6	4	9
Renton	9	6	12
..Renton-East	6 §	3 §	11 §
..Renton-North	8 §	5 §	15 §
..Renton-South	11	7	16
Sammamish	3	2	5
SeaTac/Tukwila	8	5	12
Seattle	6	5	7
..Ballard	5	3	7
..Beacon/Gtown/S.Park	8 §	4 §	14 §
..Capitol Hill/E.lake	5	4	8
..Central Seattle	4	2	6
..Delridge	11 §	6 §	19 §
..Downtown	6 §	3 §	10 §
..Fremont/Greenlake	3 §	1 §	6 §
..NE Seattle	5	3	8
..North Seattle	4	3	7
..NW Seattle	7	4	11
..QA/Magnolia	6 §	2 §	13 §
..SE Seattle	9	5	14
..West Seattle	6	3	9
Shoreline	7	5	9
Snoqualmie/North Bend/Skykomish	9	5	15
Vashon Island	6 §	2 §	13 §

Comparisons:

Higher than King County rate (yellow)

Lower than King County rate (green)

Notes:

Source: Behavioral Risk Factor Surveillance System.

Prepared by Public Health - Seattle & King County, APDE, 07/2016.


CI is 95% Confidence Interval.

* Too few cases to protect confidentiality and/or report reliable rates.

§ Too few cases to meet precision standard, interpret with caution.

Persons of Hispanic ethnicity can be of any race and are included in the racial categories.

Diabetes prevalence (adults) by health reporting areas King County, 2010-2014 average




Note: HRA labels on the map match the chart on the right, listed in alphabetical order

Source: Behavioral Risk Factor Surveillance System.

Prepared by Public Health - Seattle & King County, APDE, 07/2016.

Diabetes prevalence (adults)

King County, 2000-2014, three-year rolling averages



Trends over time: King County (2000-14: rising); East KC (2000-14: flat); North KC (2000-14: flat);
 Seattle (2000-14: flat); South KC (2000-14: rising); Washington State (2000-14: rising)
 Source: Behavioral Risk Factor Surveillance System.
 Prepared by Public Health - Seattle & King County, APDE, 07/2016.

Produced by the
[Assessment, Policy Development & Evaluation Unit](#)
[Public Health - Seattle & King County](#)
 07/16